

2 June
 memo to [redacted] regarding
 a representative of Aromath
 Co meet with us.

Followed up middle of June
 no reply

8-9-10 July
 called-inable to get - left name

11 July
 called - [redacted] promised to call
 Co. today and let me know
 14 July. Appointment made for today
 at 2:00 with Mr. Mullins of
 Aromath
 Mr. Mullins & I looked
 over the blue prints and visited
 145 bldgs. He will send
 a print in a few days.


July

British Embassy
Mass Ave.
State Dept.
Communications Section. 6th Floor.

Government Printing Office
Mr. Necker. Engineering Office 2nd fl. Building #1

Agriculture Dept South Building, Mail section.

Naval Communications Ward Circle.





Would need 1 man at each of the 4 terminals - 8 if one placed on second floor

For automatic selection - cost would be approx 50%. However would eliminate transfer point.

4x7 would cost about 40% than 4 circular tubes.

4x7 - 14 25 =
4 11 =



20000 4x7 for solid stop
in story, 40000
1500 per sta
up stair
4000 for solid, cycle

1. Total Undeliverable Items 346
2. Period covered ~~by~~ (From - To)
3. % of Total Mail.
4. Test in Personnel to see if we can locate
5. Open to determine if we can locate.
6. Copy of instructions regarding opening of mail.

Sent to Chief IR

are last 4 week

(1. 107,000 doc per week) will increase
with in J K L

2. all classification must

3. Estimated estimated saving of \$ 8.10 million

4. Tunnel point number = in 050

each dir

each staff

each dir head

in

by 25 station in
J. K. L.

may 8 station
each building floor

How much weight
only big one switch

In Murray Penall - North Bldg